

Guia de Instalacion Modulo WiFi 112A22062000017 , 112A22062000018

AC Freedom

▣ APP Introduction

▣ WIFI Module Installation

- Model for 60Hz 115V 12K High Wall Inverter
- Model for others
 - 60Hz 230V High Wall Inverter
 - 60Hz 230V High Wall Fixed
 - 60Hz 115V High Wall Fixed
 - 50Hz 220V High Wall Inverter
 - 50Hz 220V High Wall Fixed

APP

❑ APP Name

- AC Freedom



❑ Mobile Phone

- Operation system : Android and iOS




Android System



iOS System

Welcome Interface


- Scan the QR code or type in activation code to active APP.



Scan Interface



QR Code



Activation Code




Welcome Interface






Initializes WIFI module

1. Press the “HEALTH” button quickly for 8 times.
Time should be less than 2s between 2 press.
2. Wait for the double beep voice.
3. Initialization finished.




Configuration

Connect WIFI and Open the APP Type in the WIFI name and password




Configuration takes up to about 1 min.




Successful Configuration

Operation




Operating Interface




Cooling Mode



**Heating Mode/
Five operation modes**




Week Timer




**Temperature/Wind
Selection**

More Control Options



Optional WIFI Adapter



AC Freedom

▣ APP Introduction

▣ WIFI Module Installation


- Model for 60Hz 115V 12K High Wall Inverter
- Model for others
 - 60Hz 230V High Wall Inverter
 - 60Hz 230V High Wall Fixed
 - 60Hz 115V High Wall Fixed
 - 50Hz 220V High Wall Inverter
 - 50Hz 220V High Wall Fixed

WIFI Module Installation

- WIFI device Installation on 60Hz 115V 12K High Wall Inverter

Models	Description
YHJE12ZX6AXBORX	60 Hz 115V High Wall Inverter 12K Cooling Only
YHKE12ZX6AXBORX	60 Hz 115V High Wall Inverter 12K Heat Pump


Guide Book




1. Open the panel, and you will find a little terminal on right side.

Guide Book

2. Connect the WIFI's terminal.



3. Fix the WIFI device to the Panel.
(There will be a space reserved in the panel).




Guide Book

4. If there isn't a available terminal outside,
please open the medium frame connecting wires cover.




Guide Book

5. Find the wire for WIFI device and pull it out.



Guide Book

6. Then please repeat the steps from 1-3.



AC Freedom

▣ APP Introduction

▣ WIFI Module Installation

- Model for 60Hz 115V 12K High Wall Inverter
- Model for others
 - 60Hz 230V High Wall Inverter
 - 60Hz 230V High Wall Fixed
 - 60Hz 115V High Wall Fixed
 - 50Hz 220V High Wall Inverter
 - 50Hz 220V High Wall Fixed

WIFI Module Installation

- WIFI device Installation on below models

Models	Description
YHJE12ZJ6AXBORX	60Hz 230V High Wall Inverter 12K CO
YHJE18ZJ6AXBORX	60Hz 230V High Wall Inverter 18K CO
YHJE24ZJ6AXBORX	60Hz 230V High Wall Inverter 24K CO
YHKE12ZJ6AXBORX	60Hz 230V High Wall Inverter 12K HP
YHKE18ZJ6AXBORX	60Hz 230V High Wall Inverter 18K HP
YHKE24ZJ6AXBORX	60Hz 230V High Wall Inverter 24K HP
YHKE09ZEEAXAORX	50Hz 220V High Wall Inverter 9K HP
YHKE12ZEEAXAORX	50Hz 220V High Wall Inverter 12K HP
YHKE18ZEEAXAORX	50Hz 220V High Wall Inverter 18K HP
YHKE24ZEEAXAORX	50Hz 220V High Wall Inverter 24K HP
YHFE12ZXMAXAORX	60Hz 115V High Wall Fixed 12K CO
YHGE12ZXMAXAORX	60Hz 115V High Wall Fixed 12K HP
YHFE12ZJMAXAORX	60Hz 230V High Wall Fixed 12K CO
YHFE18ZJMAXAORX	60Hz 230V High Wall Fixed 18K CO
YHFE24ZJMAXAORX	60Hz 230V High Wall Fixed 24K CO
YHGE12ZJMAXAORX	60Hz 230V High Wall Fixed 12K HP
YHGE18ZJMAXAORX	60Hz 230V High Wall Fixed 18K HP
YHGE24ZJMAXAORX	60Hz 230V High Wall Fixed 24K HP
YHGE09ZE--XAORX	50Hz 220V High Wall Fixed 9K HP
YHGE12ZE--XAORX	50Hz 220V High Wall Fixed 12K HP
YHGE18ZE--XAORX	50Hz 220V High Wall Fixed 18K HP
YHGE24ZE--XAORX	50Hz 220V High Wall Fixed 24K HP


Guide Book

1. Open and Disassemble the panel.




Guide Book

2. Disassemble the air louver and medium frame fix screw(3).




Guide Book

3. Find the 5 snap joints back of the medium frame and take them off, then find the WIFI fixed position.




Guide Book

4. Disassemble the control box and confirm the WIFI connecting terminal and wire.




Guide Book

5. Install the control box cover and make the display board and WIFI connecting wire out of the box.



WIFI Connecting Wire

6. Install the medium frame, connect the terminal and then install the unit.



A green rectangular sign with rounded corners and a white border is mounted on two wooden posts. The sign features the words "Thank You" in a large, white, sans-serif font. The background is a bright blue sky filled with numerous white, fluffy clouds. The sign is tilted slightly to the right.

Thank You